

Atlas Link Technology Co., Ltd

Material Safety Data Sheet

MANUFACTURER:

Atlas Link Technology Co.,Ltd
Guan South Industry Zone, 065500 Langfang City, Hebei Province,
The People's Republic of China
Atlas Link (Beijing) Technology Co.,Ltd
Room 811 Zeyang Plaza, No. 116 Fushi Road, Shijingshan District, 100043 Beijing,The
People's Republic of China
Phone: 0086-10- 88909113
Fax: 0086-10- 88909115
WEB: <https://www.invitro-test.com>

1.General Information

Product Name & Synonyms:FASPIT[™] SARSCoV- 2 Antigen Saliva Test
Trade Name & Catalogue Number: C2112
Chemical Family: Invitro diagnostics
Formula: Not applicable
Proper DOT Shipping Name(USA): Not applicable
DOT Hazard Classification(USA): Not applicable

2.Precautõn

For *In vitro* diagnostic use only

3.Composition/ Information on ingredients

This product contains a strip sealed in a foil pouch with desiccant. Main substances in the strip are Monoclonal antibodies specifically against SARS -COV-2 antigen and Goat anti-mouse antibody .

4.Hazards identification

The product does not contain hazardous material(s). This product contains material of animal origin and should be handled as a potential biohazard. As with all biological material, reduce direct handling to a minimum and wear appropriate protective clothing.

5.Fire and Explosion Hazard Data

N/A

6.Reactivity Hazard Data

- 1)Stability: Stable
- 2)Incompatibility: None
- 3)Hazardous polymerization: Will not occur

7.Health hazard Data

Once the test is performed using human saliva, the product should be handled as though capable of transmitting disease. Although no MSDS is required by the standard, the following general guidelines are given should reagents be inhaled, ingested, or exposed to eyes or skin.

8. Emergency and First-aid procedures

- 1) Inhalation: Provide fresh air. Restore or support breathing.
- 2) Eyes: flush with plenty of water, lifting upper and lower lids from time to time, for at least 15 minutes.
- 3) Skin: flush with plenty of water for 15 minutes. Remove contaminated clothing and shoes.
- 4) Ingestion: Wash out with generous amounts of water. Get medical attention.

9. Special Protection Inhalation

- 1) Ventilation: Good ventilation
- 2) Gloves: Yes
- 3) Lab coat: Yes
- 4) Laboratory precautions: Normal laboratory precautions are recommended.

10. Spill/Leak Procedures

- 1) Spill Response: Disposables should be made in accordance with existing disposal practices employed for infectious waste.
- 2) Waste Response: Dispose of a manner consistent with federal, state and local regulation.

11. Handling and storage

Store the material as directed on individual product instructions for use.

12. Stability and reactivity

Stable under normal handling conditions. No further data

13. Toxicological information

This product does not elicit toxicological properties during routine handling and use.

Sensitization	No
Teratogenicity	No
Reproductive toxicity	No
Acute toxicity	No

14. Ecological information

Some materials within the cell are bio-accumulative. Under normal conditions, these materials are contained and pose no risk to persons or the surrounding environment.

15. Disposal considerations

This product should be disposed of in accordance with local waste disposal authority

guidelines or passed to a chemical disposal company.

16. Transport information

Observe storage requirements. Hazard Class: None. ICAO/IATA class: None

17. Raw Material

Raw Material of the Cassette

Raw material	Application	Characteristics
Glass fiber	Base of sample pad	Thickness 0.3~0.5mm Intensity $50 \pm 5 \text{g/m}^2$
Absorbent paper	Base of absorbent pad	Absorbent cotton Thickness: 0.6~0.8mm Intensity: $270 \pm 20 \text{g/m}^2$
HAuCl ₄	Colloidal gold, bound to Monoclonal antibodies specifically against SARS-COV-2 antigen	A.R, Au content > 47.8 %
Monoclonal antibodies specifically against SARS-COV-2 antigen	Test line reagent, coated on NC membrane.	Classification: IgG Purity: SDS-PAGE >95% Work Concentration: $\geq 1.0 \text{mg/ml}$ Preservative: 0.05%NaN ₃ Storage: 4°C
Goat anti-mouse antibody	Control line reagent , Coated on NC membrane	Classification: IgG Purity: SDS-PAGE >95% Work Concentration: $\geq 1.5 \text{mg/ml}$ Preservative: 0.05%NaN ₃ Storage: 4°C
Monoclonal antibodies specifically against SARS-COV-2 antigen	Gold conjugate, bound to colloidal gold	Purity: SDS-PAGE >95% Preservative: 0.05%NaN ₃ Storage: 4°C
Ovalbumin, duck egg	Blocking reagent, for sample pad and membrane treatment	Purity: OD 415nm (0.1%) ≤ 0.06 Protein content: $\geq 13.5\%$ MW: 45,000
Nitrocellulose membrane	Immobilize test line and control line	Thickness: $140 \mu\text{m} \pm 20\%$ Absorption speed: $\geq 10 \text{mm/min}$ Size of the pore: 5~15 μm
non-woven cloth	Base of sample pad	washing shrinkage rate: +2/-1 thermal shrinking rate: +3/-2 Inner layer width: 18~20mm Outer layer Width: 28~30mm Buffer: PBS+0.3~0.5% Tween20

Doc No. ALK-CE-SARS-CoV-2 Ag-Saliva-S-APPENDIX 12
Version No. A1

Absorbent Pad	Base of sample pad	Length:30±1mm width:10±1mm Thickness:2±0.1mm
Biohazard Waste Bag	Biomedical waste recycling	Length:180±5mm width:70±5mm Thickness:0.06±0.01mm

Raw Material of the Pack

Desiccant (in pouch)	Keep dry	Silica gel, 1.0g
Pouch	Sealed pouch	Aluminum foil

18.Additional Information

Atlas Link Technology Co.,Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Atlas Link Technology Co.,Ltd shall not be held liable for any damage resulting from handling or use.