

Atlas Link Technology Co., Ltd

Material Safety Data Sheet

MANUFACTURER:

Atlas LinkTechnology Co.,Ltd

Site: Gu'an South Industry Zone, 065500 Langfang City, Hebei Province, the People's Republic of China

TEL:+86- 10- 88909113 FAX: +8610- 88909115

WEB: <https://www.invitro-test.com>

1.General Information

Product Name & Synonyms: SARS-COV-2 Neutralizing Antibody Rapid Detection Kit (Colloidal Gold Immunochromatography)

Trade Name & Catalogue Number: NOVA test[®] COVNA-503

Chemical Family: InVitro diagnostics

Formula: Not applicable

Proper DOT Shipping Name(USA): Not applicable

DOT Hazard Classification(USA): Not applicable

2.Precautio

For In- Vitro Diagnostic use only

3.Composition/ Information on ingredients

This product contains a strip sealed in a foil pouch with desiccant. Main substances in the strip are Mouse anti-human IgG and IgM antibody and Goat anti-mouse antibody.

4.Hazards identification

The product does not contain hazardous material(s). This product contains material of animal origin and should be handled as a potential biohazard. As with all biological material, reduce direct handling to a minimum and wear appropriate protective clothing.

5.Fire and Explosion Hazard Data

N/A

6.Reactivity Hazard Data

1)Stability: Stable

2)Incompatibility: None

3)Hazardous polymerization: Will not occur

7.Health hazard Data

Once the test is performed using humamasopharyngeal swab, the product should be handled as though capable of transmitting disease. Although no MSDS is required by the

standard, the following general guidelines are given should reagents be inhaled, ingested, or exposed to eyes or skin.

8. Emergency and First-aid procedures

- 1) Inhalation: Provide fresh air. Restore or support breathing.
- 2) Eyes: flush with plenty of water, lifting upper and lower lids from time to time, for at least 15 minutes.
- 3) Skin: flush with plenty of water for 15 minutes. Remove contaminated clothing and shoes.
- 4) Ingestion: Wash out with generous amounts of water. Get medical attention.

9. Special Protection Inhalation

- 1) Ventilation: Good ventilation
- 2) Gloves: Yes
- 3) Lab coat: Yes
- 4) Laboratory precautions: Normal laboratory precautions are recommended.

10. Spill/Leak Procedures

- 1) Spill Response: Disposables should be made in accordance with existing disposal practices employed for infectious waste.
- 2) Waste Response: Dispose of a manner consistent with federal, state and local regulation.

11. Handling and storage

Store the material as directed on individual product instructions for use.

12. Stability and reactivity

Stable under normal handling conditions. No further data

13. Toxicological information

This product does not elicit toxicological properties during routine handling and use.

Sensitization	No
Teratogenicity	No
Reproductive toxicity	No
Acute toxicity	No

14. Ecological information

Some materials within the cell are bio-accumulative. Under normal conditions, these materials are contained and pose no risk to persons or the surrounding environment.

15. Disposal considerations

This product should be disposed of in accordance with local waste disposal authority guidelines or passed to a chemical disposal company.

16. Transport information

Observe storage requirements. Hazard Class: None. ICAO/IATA class: None

17. Raw Material

Raw Material of the Cassette

Raw material	Application	Characteristics
Glass fiber	Base of sample pad	Thickness 0.3~0.5mm Intensity 50±5g/m ²
Absorbent paper	Base of absorbent pad	Absorbent cotton Thickness: 0.6~0.8mm Intensity: 270±20g/m ²
HauCl ₄	Colloidal gold, bound to Monoclonal antibodies specifically against SARS-COV-2 antigen	A.R, Au content > 47.8 %
Mouse anti-human IgG and IgM antibody	Test line reagent, coated on NC membrane.	Classification: IgG/IgM Purity: SDS-PAGE >95% Work Concentration: ≥ 1.0mg/ml Preservative: 0.05%NaN ₃ Storage: 4°C
Goat anti-mouse antibody	Control line reagent, Coated on NC membrane	Classification: IgG Purity: SDS-PAGE >95% Work Concentration: ≥ 1.5mg/ml Preservative: 0.05%NaN ₃ Storage: 4°C
Mouse IgG antibody and S protein antigen	Gold conjugate, bound to colloidal gold	Purity: SDS-PAGE >95% Preservative: 0.05%NaN ₃ Storage: 4°C
Ovalbumin, duck egg	Blocking reagent, for sample pad and membrane treatment	Purity: OD 415nm (0.1%) ≤ 0.06 Protein content: ≥ 13.5% MW: 45,000
Nitrocellulose membrane	Immobilize test line and control line	Thickness: 140µm±20% Absorption speed: ≥ 10mm/min Size of the pore: 5~15µm
non-woven cloth	Base of sample pad	washing shrinkage rate: +2/-1 thermal shrinking rate: +3/-2 Inner layer width:18~20mm Outer layer Width:28~30mm Buffer: PBS+0.3~0.5% Tween20
Assay Diluent	Adjust the reaction system	100mM Phosphate buffer, 1% TrtonX-100, Sodium azide (0.01% w/w)

Doc No. ALK-CE- SARS-CoV-2 NA -APPENDIX 16
Version No. A1

Cassette cover	hold and protect a strip	(72mmx20mmx10mm), match with strip, cover and plate match well.
----------------	--------------------------	---

Raw Material of the Pack

Desiccant (in pouch)	Keep dry	Silica gel, 0.5g
Pouch	Sealed pouch	Aluminium foil

18.Additional Information

Atlas Link Technology Co.,Ltd provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Atlas Link Technology Co.,Ltd shall not be held liable for any damage resulting from handling or use.